

**DECLARATION OF PERFORMANCE:**

**N° RC028-CPR**

1. **Identification code:** **PU BASE**
2. **Type, batch or serial number:** (Batch number: see the packaging).
3. **Intended use or uses of the construction product:** in compliance with **EN 1504-2:2005** - Appendix ZA.1e – Product for surface protection – Coating - (moisture control / increasing resistivity).
4. **Manufacturer:**

**NORD RESINE SpA**  
 Via Fornace Vecchia, 79 – 31058 Susegana (TV)  
 P.I. IT02169750268

5. **System or systems of assessment and verification of constancy of performance of the construction product:** **SYSTEM 2+**
6. The Notified Body ICMQ (No. 1305) issued the test reports No. **1305-CPR-1067** and performed the:
  - a. initial inspection of the manufacturing plant and of factory production;
  - b. continuous surveillance, assessment and evaluation of factory production control.
7. **Declared performance:**

ESSENTIAL CHARACTERISTICS	PERFORMANCE	TECHNICAL SPECIFICATION
Water vapour permeability	class II	<b>EN 1504-2:2005</b>
Capillary absorption and permeability to water	$w < 0,1 \text{ Kg}/(\text{m}^2 \times \text{h}^{0,5})$	
Adhesion strength by pull off test	$\geq 0,8 \text{ N}/\text{mm}^2$	
Reaction to fire	Euroclass F	
Dangerous substances	See Safety Sheet	

8. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7.
9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

**CE MARK**

**IN COMPLIANCE WITH CPR305/2011 AND WITH 1504-2.**

<b>CE</b>	<b>NORD RESINE SpA</b> <i>Via Fornace Vecchia, 79 – 31058 Susegana (TV)</i>	
<b>16</b> <b>No.RC028-CPR</b> <b>EN 1504-2</b>		
<b>PU BASE</b>		
Coating for surface protection of concrete through moisture control and resistivity increase.		
Water vapour permeability	Class II	
Capillary absorption and permeability to water	$w < 0,1 \text{ Kg}/(\text{m}^2 \times \text{h}^{0,5})$	
Adhesion strength by pull off test	$\geq 0,8 \text{ N}/\text{mm}^2$	
Dangerous substances	See Safety Sheet	

Susegana, 25th January 2016

Lionello Caregnato  
( Chief-Executive Officer)

