

DECLARATION OF PERFORMANCE : N° AD001-CPR

1. **Identification Code: X CEM BASE**

2. **Type, batch or serial number:**

Batch number: see the packaging

3. **Intended use or uses of the construction product:** in compliance with **EN 934-4:2009** – Mortar additives for prestressing tendons.

4. **Manufacturer:**

NORD RESINE SpA

Via Fornace Vecchia, 79 – 31058 Susegana (TV)

P.I. IT02169750268

5. **System or systems of assessment and verification of constancy of performance of the construction product: SISTEMA 2+**

6. **The Notified Body: ICMQ (identification number: 1305)**

Issued the certification of compliance of factory production control (**number 1305-CPR-1270**) and performed the:

- a) Initial inspection of the manufacturing plant and of factory production;
- b) Continuous surveillance, assessment and evaluation of factory production control.

7. Declared Performance:

ESSENTIAL CHARACTERISTICS	PERFORMANCE	TECHNICAL SPECIFICATION
Chloride ion content	≤ 0,10 % mass	EN 934-4 :2009
Thiocyanate content	NPD	
Sulfuric content	NPD	
Reaction to corrosion	NPD	
Resistance to compression	≥ 30 MPa	
Exudation	≤ 2%	
Thickness (fluidity)	≤ 25 s coning method	
Volume variation	0 ÷ 5 %	
Dangerous substances	See SDS	

8. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7.

CE	NORD RESINE SpA Via Fornace Vecchia, 79 – 31058 Susegana (TV)
14 AD001-CPR EN 934-4:2009	
X CEM BASE	
Additives for injection mortar for prestressing tendons	
Chloride ion content	≤ 0,10 % mass
Resistance to compression	≥ 30 MPa
Exudation	≤ 2%
Fluidity (coning method)	≤ 25 s
Volume variation interval	0 ÷ 5 %
Dangerous substances	See SDS

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Susegana, 29th June 2016

Lionello Caregnato
(Chief Executive Officer)

