

AQUALAMINE



NORD RESINE®

WHERE AESTHETICS AND WATERPROOFING MEET

MADE IN ITALY







TERRACE FINISH WITH
AQUALAMINE SYSTEM
WHERE AESTHETICS AND WATERPROOFING MEET

AQUALAMINE is a Nord Resine system for the creation of an exposed waterproof layer, with a seamless finish as an alternative to tiles. It creates a resistant surface with excellent technical characteristics: waterproof and breathable, anti-slip, resistant to UV rays and non-yellowing. AQUALAMINE is available in 12 finishes and, for large projects, with customised colours.





AQUALAMINE
is ideal in any architectural setting, from highly classic to ultra modern.





AQUALAMINE'S excellent technical characteristics make it perfect for decorative and protective coatings on pools. The LAMINE products can be easily applied without the use of special equipment.







AQUALAMINE

Beautiful, simple, in harmony with the environment.

TECHNICAL SPECIFICATIONS



Waterproofing



Flexible



UV-resistant



Frost-resistant



Fast-curing



Walk-over

FIELDS OF USE





Roofs
Terraces
Balconies



Edges and coating
of pools



Pavements



A WATERPROOF SURFACE
that is resistant and has excellent technical properties.

AQUALAMINE

WHERE AESTHETICS AND WATERPROOFING MEET

WATERPROOFING WITH

EASY-LAST 901

WATERPROOFING SYSTEM TO BE USED ON DRY SUBSTRATES

PRODUCT RANGE

RESIN COATING

EASY-LAST COAT

BI-COMPONENT TRANSPARENT TOP COAT

+


LAMINE

SINTO-CERAMIC PARTICLES

+

EASY-LAST COAT

BI-COMPONENT COLOURED TOP COAT



WATERPROOFING

EASY-LAST 901

MONO-COMPONENT SELF-LEVELLING WATERPROOFING PRODUCT



WATERPROOFING WITH

BETONGUAINA.S

WATERPROOFING SYSTEM IDEAL FOR DAMP OR WET SUBSTRATES, ALLOWING AN ADEQUATE DRYING TIME

PRODUCT RANGE

RESIN COATING

EASY-LAST COAT

BI-COMPONENT TRANSPARENT TOP COAT

+

LAMINE

SINTO-CERAMIC PARTICLES

+

EASY-LAST COAT

BI-COMPONENT COLOURED TOP COAT



WATERPROOFING

GRIP 1000

BI-COMPONENT QUARTZ SKIM COAT



BETONGUAINA.S

BI-COMPONENT WATERPROOFING TREATMENT FOR REINFORCED CONCRETE
In this case, skim coating with Betonguaina is necessary to smooth the surface

SEALING

BETONSEAL MS 2.0


WATERPROOFING ADHESIVE SEALANT

+

PRIMER

FONDO IGRO

SOLVENT-BASED MONO-COMPONENT PRIMER
(Product for a specific use: see the technical data sheet)



SEALING

BETONSEAL MS 2.0

WATERPROOFING ADHESIVE SEALANT

+

PRIMER

FONDO IGRO

SOLVENT-BASED MONO-COMPONENT PRIMER
(Product for a specific use: see the technical data sheet)



IT IS NECESSARY TO START WITH A SUBSTRATE THAT HAS BEEN PROPERLY CREATED OR PREPARED.



For screed refurbishment, please follow our treatment cycle:
PREPARING AND REFURBISHING THE SUBSTRATE

Request the brochure at
AUTHORISED OUTLETS

AQUALAMINE FINISHES


The AQUALAMINE collection is available in two variants with either glossy or matt finish.




SLATE GRANITE FL




CINDER FL




TURQUOISE SHADE FL




GREECE TZ




CARRARA MARBLE FL



GRAINED CARRARA MARBLE FL



FLORENCE TZ



ROME TZ



GREY SANDSTONE FL



WARM GREY GRANITE FL



PARIS TZ



VENICE TZ

VIA FORNACE VECCHIA, 79
31058 SUSEGANA (TV)
Italy
Tel. +39 0438 437511

info@nordresine.it
www.nordresine.it



**NORD
RESINE**

STATE-OF-THE ART SYSTEMS

