

# BETONSEAL CLEANER


Solvent-based detergent for cleaning surfaces prior to the laying of BETONSEAL systems



## TECHNICAL SPECIFICATIONS



## FIELD OF APPLICATION



## APPLICATIONS



## Description

BETONSEAL CLEANER is a mixture of organic solvents and additives that allows for dissolving and removing greasy substances and various types of oils from hard surfaces.

## Field of application

BETONSEAL CLEANER is suitable for:

- Degreasing bare or coated metal surfaces.
- Degreasing plastic materials of any type.
- Removing superficial residues of oily substances and paint strippers (from elastomers and hard resins).

## Advantages

- BETONSEAL CLEANER is easy to use.
- BETONSEAL CLEANER has a very limited cost.

## Application of the product

- The product is ready-to-use.
- Impregnate the surface, using a cloth resistant to solvents, with BETONSEAL CLEANER.
- Treat the part to be cleaned manually or by applying the cloth under a single-disc floor scrubber fitted with a Scotch Brite disc.
- If necessary, treat the surface again until the residues have been removed completely.

## Consumption

type of application	minimum consumption	maximum consumption	UoM	dilution
For any surface and type of residue to be removed	90	110	mL/m <sup>2</sup>	-

## Useful application tips

- If used of painted surfaces, BETONSEAL CLEANER could remove or damage the paint. To ascertain the coating's adhesion, carry out a preliminary trial.
- The product is flammable.
- When applied in poorly aerated areas, it is advisable to adequately ventilate the environment and protect the airways using a dust mask equipped with A organic vapour filters (brown strip) or combined ABEK filters (brown-yellow-green strip), as per the EN 141 standard.
- Read the Safety Sheet carefully before using the product.

## Technical data

# BETONSEAL CLEANER

► PRODUCT IDENTIFICATION DATA	UoM	value
Density at 23°C, EN ISO 2811-1	kg/L	0,90 ± 0,04
Brookfield apparent dynamic viscosity (23°C / 50% R.H. ASTM#1 spindle, 150 rpm), EN ISO 2555	mPa•s	30 ± 10
Odour	-	Of aromatic solvent
Appearance	-	Transparent liquid

## Storage of the product

- 12 months in the closed original packaging, in a dry and covered place away from direct sunlight, at a temperature between +5°C and +35°C.

## Packages

VARIANT	PACKAGE	ADR	PACKAGES PER PALLET	COMPONENTS
-	12 lattine da 1 L	P*	-	

Legenda ADR:

P\* = merce PERICOLOSA imballata in quantità limitata (confezionata come da Cap. 3.4 ADR)

## LEGAL NOTES

Advice on how to use our products corresponds to the current state of our knowledge and does not involve the assumption of any guarantee and / or responsibility for the final result of the work. They do not refore exempt the customer from the responsibility of verifying the suitability of the products for the use and the prefixed purposes through preventive tests. The website [www.nordresine.com](http://www.nordresine.com) contains the latest revision of this datasheet.

## EDITION

Issue date: 03.01.2008

Revision: 26.02.2018